MODEL




# POSITIONS




## COLORS



### DIMENSIONS




## ROUND SUPPORT



For non-permanent base options – see spec sheet Installation Options



#### **MATERIALS**



**FABRIC** 

Solidum – 100% Acryl 255 gr/m<sup>2</sup> Sunbrella – 100% Acryl 260 gr/m<sup>2</sup> More details – see spec sheet Fabrics Confection Scheme:





RIRS

Glass fiber Ø 6mm/0.23"



POLE

Naturally anodized aluminum

OTHER MATERIALS

Handle: stainless steel plate 316 [6mm/0.23"] Hooks: Aluminum powder coated RAL 7074 TEC Ring fixation: stainless steel 316

For projects – consult Umbrosa for powder coating finish options (RAL). Contact us for the details on the MOQ.

#### PACKAGING & TRANSPORT

| Eclipsum     | L (cm) | W (cm) | H (cm) | Weight (kg) | L (") | W (") | H (") | Weight (lbs) |
|--------------|--------|--------|--------|-------------|-------|-------|-------|--------------|
| Umbrella box | 247    | 40     | 48     | 50          | 8'1"  | 1'3"  | 1'7"  | 121          |

#### NICE TO KNOW

- Spare parts available
- Designed and manufactured in Belgium
- Warranty between 15 and 2 years, see Warranty Sheet
- Download manual (QR-code included)
- Storage bag included (PU coated fabric)
- Wind speeds up to 6 beaufort, 50 km/h, 31 mph when base is permanently fixed (for details, please check our pricelist)
- Tested at TU Delft

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. Of course we do our best to eliminate all mistakes, but Umbrosa is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.